	≤	

, :	3
:	0.01

Pelco_D Protocol	
FF 01 00 04 00 FF 04	/Left
FF 01 00 02 00 FF 02	/Right
FF 01 00 08 00 FF 08	/Up


90
78.5
84
387
14
355
41.2
155
60



4

100cm

>15m ,

0755-6686 4401

www.sz3km.com

sales@sz3km.com

128 1 12

IR-1550-2000-S-00

1. ž l ? Ö ÃÑ PP600B/S

2. - l ? Ö

¢² 1	¢² 2	¢² 3	¢² 4	¢² 5	¢² 6	¢² 7
¢²	ò1	7.1	7.1	ž1	ž1	Q¼1

4

1.BA ¡ f

2.¢ FFH

3.ò1: 0x01×

4.7.1: ¾ ¡

5.ž1

6.Q¼1 = MOD[¢²2 + ¢²3 + ¢²4 + ¢²5 + ¢²6Å100H]

3. Ï7- 7 >˜ Ö Ã21 UM ÁÑ¼1Å

		” ” ” ” ” ” ” ” ” ”

4. 7 ¯+X *AÞ:

[illegible]

[illegible] 1~2mSÄ

5. ASCII .1[illegible]

部分ASCII码对照表					
二进制	十六进制代码	缩写/字符	二进制	十六进制代码	缩写/字符
110000	30	0	1001001	49	I
110001	31	1	1001010	4A	J
110010	32	2	1001011	4B	K
110011	33	3	1001100	4C	L
110100	34	4	1001101	4D	M
110101	35	5	1001110	4E	N
110110	36	6	1001111	4F	O
110111	37	7	1010000	50	P
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
44	D	1010110	56	V	1000100
45	E	1010111	57	W	1000101
46	F	1011000	58	X	1000110
47	G	1011001	59	Y	1000111
48	H	1011010	5A	Z	1001000

Z	d	Z	%	O	ñ
1	[illegible]	R - [illegible] 20 - S- 00	V	1	
2	[illegible] s	[illegible]		1	